



MANUAL SEALANT BOX

Content

1. Multifoam
2. Safety Clean
3. Seal & Bond Special Primer
4. Seal & Bond MS22 X
5. Microfibre cloths

Installation video



www.verano.nl/montagevideo-kitten-lamellendaken

1. Removing visible layers of dust and dirt with Multifoam

- An active and effective foam spray
- Cleans and degreases easily and quickly
- Safe to use, even on sensitive surfaces
- Dries very quickly
- Contains no abrasives

Shake the Multifoam well before use. Apply the Multifoam and let it soak in for a while. Rub the surface dry with a clean microfibre cloth.



2. Removing chemical contaminants with Safety Clean

- Solvent for chemical contaminants
- Safe and quick cleaning procedure
- Thorough and without residue
- Does not cause oxidation on light metals

Spray a generous amount of Safety Clean onto a microfibre cloth. Rub the surface from bottom to top. Let it soak in for a while. Wipe off the product and the contamination with a dry, clean microfibre cloth.





3. Repeat step 1 to remove the last solvent residues, skin oils and micro-contaminants.

4. Applying Seal & Bond Special Primer

- Fast bonding primer for difficult materials
- For gluing, taping and lacquering
- Transparent
- Leaves no traces or stains

Release the mixing ball and shake well before use. Apply a thin layer of Seal & Bond Special Primer on the surface to be glued. Let it dry for a few minutes. After use, hold the spray can upside down and spray until no more product is released.



5. Bonding and sealing with Seal & Bond MS22 X

- High-tech sealing
- Applicable from -10°C tot +40°C
- Strong and elastic
- Paintable and mould resistant
- Ecological and safe

Apply to clean surface. Finish seams with Safety Clean.

