




# Moments Guide

LOUVERED ROOFS

**Verano**<sup>®</sup>



- 2. Contents
- 3. Congratulations!
- 5. Research and Development
- 6. Spring clean
- 8. Safe use
- 11. Warranty registration
- 12. Product code

# CONGRATULATIONS!

Congratulations on your new Verano® product(s)! Now it's time to enjoy it. We want it to be all about you and will therefore ensure you can use our products to turn your house into a safe and comfortable home. We would like to provide you with a number of tips in this 'Moments guide', which will allow you to continue enjoying your product(s) for many years to come. And finally, we would really love to hear from you on one of our social media pages!

Yours sincerely,

**Harrie van Zutphen**

CEO

## RESEARCH AND DEVELOPMENT

Your louvered roof profiles have been made from top quality aluminium. One of the main advantages of aluminium is that it's strong and solid, but also very light-weight. Aluminium boasts characteristics which make it almost maintenance-free and warranty a long life. All these elements combined have made aluminium the perfect material to use as a basis for your louvered roof.

We are proud owners of the AluEco certificate. The AluEco foundation promotes sustainability and ensures aluminium is recycled into top quality products, with a minimal environmental impact.

# SHARE YOUR MOMENTS!

[#veranomoment](#)



# SPRING CLEAN!

It goes without saying you are going to want to enjoy your Verano® product(s) for as long as possible. Cleaning the product will certainly contribute to a long life. That's why we will provide you with a step-by-step plan to help you with the cleaning.

## WHAT WILL YOU NEED?



DRY LUBRICANT



CLEANING PRODUCT  
WITH A LOW PH VALUE  
(<7.5)



CHAMOIS



LUKEWARM WATER  
(MAX 35°C)

## ALSO CHECK:

Verano® products require little maintenance and have an incredibly long life. However, in the unlikely event of a product malfunction, contact your Verano® partner immediately. Make sure you check the following before you start cleaning your products:

- Aluminium profiles
- Deviating sound when opening/closing

# CLEANING THE ALUMINIUM

## STAP 1

### Cleaning the aluminium

Clean the aluminium with lukewarm water and a cleaning product with a pH value lower than 7.5. Avoid scouring pads and high pressure cleaners to prevent the paint being affected.



## STAP 2

### Lubricate parts

You can apply a dry lubricant, such as silicon spray, to the plastic guidance blocks, rubbers and the aluminium guidance profiles. Carefully remove any remnants of the dry lubricant.



## SAFE USE

We think it's important for the safety of your living environment to remain guaranteed! We would therefore like to ask you to consider the following safety measures before you start using your product:



Always use the services of a professional installer for any repairs and/or activities



Don't use the louvered roof when ice has formed on the armour, as this can cause damage to the suspension and slats.






## WARRANTY REGISTRATION

Do you want to use the Verano® factory warranty? Visit [www.verano.nl/en/service/register-product/](http://www.verano.nl/en/service/register-product/) or scan the QR code below to register your product(s) for a 5 year manufacturer's warranty! You will find your Verano® product's unique product code on the back of this booklet, which you will need when filling in the warranty form.

Please also read through the warranty conditions, making sure you know when you are and aren't entitled to the warranty. You can also find this via the above link or QR code.





This is your Verano® product's unique product code.  
You can use this code to register the product for the warranty.



For a complete overview of our measure and installation instructions,  
please go to [www.verano.nl/en/service/downloads](http://www.verano.nl/en/service/downloads).