




# Moments Guide

GARAGE DOORS



- 2. Contents
- 3. Congratulations!
- 5. Safe energy!
- 6. Spring clean
- 8. Safe use
- 11. Declaration of conformity IIa
- 13. Warranty registration
- 14. Product code

# CONGRATULATIONS!

Congratulations on your new Verano® product(s)! Now it's time to enjoy it. We want it to be all about you and will therefore ensure you can use our products to turn your house into a safe and comfortable home. We would like to provide you with a number of tips in this 'Moments guide', which will allow you to continue enjoying your products(s) for many years to come. And finally, we would really love to hear from you on one of our social media pages!

Yours sincerely,

A handwritten signature in black ink, appearing to read 'Harrie van Zutphen'.

**Harrie van Zutphen**

CEO

## SAFE ENERGY!

From now on you can save on your energy costs. Garage doors naturally have an insulating effect and will result in substantial home energy savings, especially during the winter months. The sectional doors' double-walled panels, with a thickness of 40 mm, are filled with CFC-free polyurethane foam and subsequently offer the high insulation value of 1.6 W/(m<sup>2</sup>K) per panel. What the opening of your garage door looks like is actually completely irrelevant here, whether it's rectangular or shaped in a round arch.

# SHARE YOUR MOMENTS!

#veranomoment



# SPRING CLEAN!

It goes without saying you are going to want to enjoy your Verano® product(s) for as long as possible. Cleaning the product will certainly contribute to a long life. That's why we will provide you with a step-by-step plan to help you with the cleaning. We recommend cleaning the garage door at least once a year. Make sure the garage door is disconnected from the power supply before you start cleaning!

## WHAT WILL YOU NEED?



DRY LUBRICANT



SOFT CLOTH



SPONGE



LUKEWARM WATER  
(MAX 35°C)

## ALSO CHECK:

Verano® products require little maintenance and have an incredibly long life. However, in the unlikely event of a product malfunction, we would like to ask you to contact your Verano® partner immediately. Make sure you check the following before you start cleaning your products:

- Distortion of the product
- Deviating sound when opening/closing

# CLEANING THE GARAGE DOOR

## STEP 1

### Remove any dirt

The panels can be cleaned with lukewarm water and a cleaning product with a pH value lower than 7.5. Avoid scouring pads and high pressure cleaners.



## STEP 2

### Cleaning the profiles

Take an oil-soaked cloth and run it over the torsion springs, so that the windings are lubricated.



## STEP 3

### Silent operation

You can apply a dry lubricant, such as silicon spray, to the plastic guidance blocks and rubbers.



## SAFE USE

We think it's important for the safety of your living environment to remain guaranteed! We would therefore like to ask you to consider the following safety measures before you start using your product:



Always use the services of a professional installer for any repairs and/or activities.



Only operate the garage door when there are no people and/or obstacles in the operating area.



Make sure the garage door is disconnected from the power supply when carrying out repairs and activities near the garage door.





# DECLARATION OF CONFORMITY IIA

**The manufacturer:** Verano® B.V.  
Bedrijfsweg 8  
5683 CP Best  
The Netherlands

Declares under its full responsibility that the product:

Sectional Garage Door

Which concerns this declaration:

VB, VBC, VBL, VBL, VBM, VBP, VBT, VBW, VBW

to which this declaration is related, is in correspondence with the provision of the Directives stated below:

Low Voltage Guideline (=LV), 73/23/EEG (93/68/EEG)

Electro Magnetic Compatibility Guideline (=EMC), 89/336/EEG, (92/31/EEG, 93/68/EEG),

Machine Guideline (=MD): Guideline 98/37/EG, (98/79/EG, replaces Guideline 89/392EEG)).

And that TUV as Notified Body tests regarding the products as stated above and the report can be used as a support for an EC declaration in conformity with the EN 13 241-1:2003 Norm requirements.

And furthermore TÜV Nord Baumuster has carried out tests in conformity with the norms stated below:

EN 12445: Users safety of the driven doors (Test methods)

EN 12453: Users safety of the driven doors (Requirements)

EN 12604: Doors, mechanism aspects (Requirements)

EN 12605: Doors, mechanism aspects (Requirements)

Best, May 2006

**Frank Pulles**  
Director


The declaration of conformity is applicable provided that the product has been installed as indicated in this assembly manual and the utilisation is conform to the assembly manual.



# WARRANTY REGISTRATION

Do you want to use the Verano® factory warranty? Visit [www.verano.nl/en/service/register-product/](http://www.verano.nl/en/service/register-product/) or scan the QR code below to register your product(s) for a 5 year manufacturer's warranty! You will find your Verano® product's unique product code on the back of this booklet, which you will need when filling in the warranty form.

Please also read through the warranty conditions, making sure you know when you are and aren't entitled to the warranty. You can also find this via the above link or QR code.





This is your Verano® product's unique product code.  
You can use this code to register the product for the warranty.



For a complete overview of our measure and installation instructions,  
please go to [www.verano.nl/en/service/downloads](http://www.verano.nl/en/service/downloads).